



SAFETY DATA SHEET
Synthetic Black Iron Oxide (Group III)

1. Identification**Product identifier**

Product name Synthetic Black Iron Oxide (Group III)
Chemical name Black Iron Oxide (Fe₃O₄)
Product number BK4799,BK5000,BK5099,BK5099D,BK5599,BK5999,TB5600,TB5625,TB5645,TB5980

Recommended use of the chemical and restrictions on use

Application Industrial color

Details of the supplier of the safety data sheet

Supplier Huntsman Pigments Americas LLC
P.O. Box 4980
The Woodlands, TX 77387
+1 301 210 3400 / +1 323 269 7311
MSDS@huntsman.com

Emergency telephone number

Emergency telephone CHEMTREC: (800) 424-9300 (Contract No: 191118)

2. Hazard(s) identification**Classification of the substance or mixture**

Physical hazards Self-heat. 2 - H252
Health hazards Not Classified
Environmental hazards Not Classified

Label elements**Pictogram**

Signal word Warning

Hazard statements H252 Self-heating in large quantities; may catch fire.

Precautionary statements P235+P410 Keep cool. Protect from sunlight.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P407 Maintain air gap between stacks/pallets.
P413 Store bulk masses greater than kg/lbs at temperatures not exceeding °C/°F.
P420 Store away from other materials.

Other hazards

This product does not contain any substances classified as PBT or vPvB.

Synthetic Black Iron Oxide (Group III)

3. Composition/information on ingredients

Mixtures

C.I. Pigment Black 11 (Group III)	99.0%
CAS number: 1317-61-9	REACH registration number: Proprietary
Classification	
Self-heat. 2 - H252	

The Full Text for all Hazard Statements are Displayed in Section 16.

4. First-aid measures

Description of first aid measures

Inhalation	If exposed to excessive levels of dust or fumes, remove to fresh air. Get medical attention if cough or other symptoms develop.
Ingestion	Rinse mouth thoroughly with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed by medical personnel. Get medical attention if symptoms occur.
Skin Contact	Wash with soap and water. Get medical attention if irritation develops or persists.
Eye contact	Rinse with water. Get medical attention if any discomfort continues.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Extinguish with the following media: Water spray, foam, dry powder or carbon dioxide.

Special hazards arising from the substance or mixture

Flammability Class No Uniform Fire Code noted.

Advice for firefighters

Protective actions during firefighting As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Special protective equipment for firefighters Wear self-contained breathing apparatus as combustion may produce hazardous fumes.

6. Accidental release measures

Methods and material for containment and cleaning up

Methods for cleaning up If dust is generated, use appropriate respiratory protection. Vacuum or sweep up material and place in a disposal container. Avoid generation and spreading of dust. Large Spillages: Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Avoid runoff into storm sewers and ditches which lead to waterways.

7. Handling and storage

Precautions for safe handling

Usage precautions Minimize dust generation and accumulation. Do not breathe dust. Avoid contact with skin and eyes. Wash contaminated skin thoroughly after handling.

Synthetic Black Iron Oxide (Group III)

Conditions for safe storage, including any incompatibilities

Storage precautions Store dry at ambient temperature away from food and beverages, excessive heat or flame sources (furnace, kilns, boilers etc.). Store away from substances subject to catalytic decomposition by dust, e.g. peroxides

8. Exposure Controls/personal protection

Ingredient comments Although no exposure limit has been established by OSHA for this product, the limit for nuisance particulates should be followed: OSHA 8-hr TWA 10mg/m³ Total Dust 5 mg/m³ respirable dust. ACGIH TLV-TWA 10mg/m³ Total dust or 5mg/m³ respirable dust.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Dusty powder.
Color	Black.
Odor	Odorless.
Odor threshold	Not available.
Melting point	> 1000 deg C / 1832 deg F
Initial boiling point and range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Evaporation factor	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	Not available.
Other flammability	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Bulk density	Not available.
Solubility(ies)	Insoluble in water.
Partition coefficient	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Volatile organic compound	None.

10. Stability and reactivity

Synthetic Black Iron Oxide (Group III)

Stability	Exposure to heat greater than 55C (130F) can cause this product to slowly auto-oxidize, which generates additional heat. Under certain circumstances, this heat may be sufficient to cause the bag or combustible materials stored nearby to ignite. Once oxidized, the material will be a brown ferric oxide (Fe ₂ O ₃).
Materials to avoid	Substances subject to catalytic decomposition caused by dust such as peroxides. Further avoid contact with aluminum dust, calcium hypochlorite, hydrazine, ethylene oxide, caesium carbide.

11. Toxicological information

Information on toxicological effects

Toxicological effects	No specific toxicity tests have been carried out on this product.
Inhalation	Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases.
Ingestion	No harmful effects expected from quantities likely to be ingested by accident.
Skin Contact	Substance may cause slight skin irritation.
Eye contact	May cause slight irritation.

12. Ecological Information

Ecotoxicity	The product is not expected to be hazardous to the environment.
<u>Persistence and degradability</u>	
Persistence and degradability	The product is not readily biodegradable.
<u>Bioaccumulative potential</u>	
Bio-Accumulative Potential	Bioaccumulation is unlikely to be significant because of the low water-solubility of this product.
Partition coefficient	Not available.
<u>Mobility in soil</u>	
Mobility	The product is insoluble in water.
<u>Other adverse effects</u>	
Other adverse effects	None known.

13. Disposal considerations

Waste treatment methods

General information	Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.
----------------------------	---

14. Transport information

General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).
<u>UN Number</u>	
UN No. (DOT)	3190
UN No. (IMDG)	3190

Synthetic Black Iron Oxide (Group III)

UN No. (ICAO) 3190

UN proper shipping name

Proper shipping name (DOT) SELF-HEATING SOLID, INORGANIC, N.O.S. (CONTAINS C.I. Pigment Black 11 (Group III))

Proper shipping name (IMDG) SELF-HEATING SOLID, INORGANIC, N.O.S. (CONTAINS C.I. Pigment Black 11 (Group III))

Proper shipping name (ICAO) SELF-HEATING SOLID, INORGANIC, N.O.S. (CONTAINS C.I. Pigment Black 11 (Group III))

Transport hazard class(es)

DOT hazard class 4.2

DOT hazard label Spontaneously Combustible

IMDG Class 4.2

ICAO class/division 4.2

Transport labels



Packing group

DOT pack group III

IMDG packing group III

ICAO packing group III

Environmental hazards

Environmentally Hazardous Substance

No.

Special precautions for user

EmS F-A, S-J

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed or exempt.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed or exempt.

SARA 313 Emission Reporting

None of the ingredients are listed or exempt.

CAA Accidental Release Prevention

None of the ingredients are listed or exempt.

US State Regulations

Synthetic Black Iron Oxide (Group III)

State Regulations Comments California Prop 65 Warning: This product contains chemicals, as trace impurities and not intentionally added, known to the state of California to cause cancer (C) and birth defects or other reproductive (R) harm.

Massachusetts "Right To Know" List

C.I. Pigment Black 11 (Group III)
Not listed.

Rhode Island "Right To Know" List

C.I. Pigment Black 11 (Group III)
Not listed.

Minnesota "Right To Know" List

C.I. Pigment Black 11 (Group III)
Not listed.

New Jersey "Right To Know" List

C.I. Pigment Black 11 (Group III)
Not listed.

Pennsylvania "Right To Know" List

C.I. Pigment Black 11 (Group III)
Not listed.

Inventories

EU - EINECS/ELINCS

EINECS
All the ingredients are listed or exempt.

Canada - DSL/NDSL

DSL
All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

No.

Australia - AICS

All the ingredients are listed or exempt.

Japan - MITI

All the ingredients are listed or exempt.

Korea - KECI

All the ingredients are listed or exempt.

China - IECSC

All the ingredients are listed or exempt.

Philippines - PICCS

All the ingredients are listed or exempt.

New Zealand - NZIOC

Synthetic Black Iron Oxide (Group III)

All the ingredients are listed or exempt.

16. Other information

Revision date	7/14/2015
Revision	9
Supersedes date	6/4/2015
SDS No.	18367
SDS status	Approved.
Hazard statements in full	H252 Self-heating in large quantities; may catch fire.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.