

## SAFETY DATA SHEET

	Section 1. Product Identification		
Product identifier	Valu- Fil		
Other means of identification			
SDS number	ACG 2005		
Additional Products	Valu-Fil Series, Ground Rock, Ground Gypsum, Coarse Grind, Line Drive, Animal Feed, Turfgrass, and Agricultural Gypsum		
Synonyms	Calcium Sulfate Dihydrate		
Recommended use	Filler.		
<b>Recommended Restrictions</b>	Use in accordance with manufacturer's recommendations.		
Manufacturer/Importer/Suppli			
Company name	ACG Materials		
Address	1550 Double Drive		
	Norman, OK 73069		
Telephone	1-800-624-5963		
Website	www.ACGmaterials.com		
Emergency phone number	1-800-624-5963		
Emergency phone number	1-000-02+-5705		
	Section 2. Hazard(s) Identification		
<b>Emergency Overview</b>	This product is not flammable, combustible, or explosive. It does not cause burns or severe skin		
Emergency overview	or eye irritation. A single exposure will not result in serious adverse health effect. Prolonged		
	contact with the product may result in abrasions to the skin or irritation of the eyes. Prolonged		
	inhalation of the dust may irritate the respiratory tract.		
	minimation of the dust may inflate the respiratory fract.		
Physical hazards	Not classified		
Health Hazards	Not classified		
Acute:			
	Contact can cause mechanical irritation of eyes. If burning, redness, itching, pain or other		
Eyes	symptoms persist or develop, consult physician. Eye irritation Category 2, subcategory 2B.		
Skin	Prolonged contact with the skin may cause irritation. Rubbing of this product against the skin can		
SKIII	result in abrasion. Rinse with water until free of material to avoid abrasion, then wash skin		
	thoroughly with mild soap and water. May dry skin. Mild skin irritation Category B.		
Inhalation	Inhalation of dusts from this product may irritate the nose, throat, lungs, and upper respiratory		
limalation	tract. Persons exposed to large amounts of this dust may be forced to leave area because of		
	nuisance conditions such as coughing, sneezing, and nasal irritation. Labored breathing may occur		
Character	after excessive inhalation. If respiratory symptoms persist, consult physician.		
Chronic:			
Inhalation	Prolonged and repeated exposure to respirable crystalline silica can result in lung disease (i.e.		
	silicosis) and lung cancer. Silicosis increases the risk of tuberculosis. Studies have shown various		
	autoimmune and chronic kidney diseases in workers exposed to respirable crystalline silica. Some		
	studies show and increased incidence of chronic bronchitis and emphysema in workers exposed to		
	crystalline silica.		
Environmental hazards	Not Classified		
OSHA defined hazards	Not Classified		
Label elements	•		
Signal word	Dangar		
Signal word	Danger Course and alkin irritation. May assue allorgy or asthma symptoms or broathing difficulties if		
Hazard statement	Causes eye and skin irritation. May cause allergy or asthma symptoms or breathing difficulties if		
	inhaled.		
Precautionary statement			
Prevention	Wash hands thoroughly after handling. Wear protective gloves. Avoid breathing dust. Wear respiratory protection		
	respiretory protection		

SDS ID: ACG 2005 Version#: 03

respiratory protection. Revision date: 01 June 2015



If eye irritation persists, if skin irritation occurs, or if experiencing respriatory symptoms: Get medical advice/attention. Store as indicated in Section 7. Dispose of in accordance with local, state, and federal regulations.

### Storage Disposal

Hazard(s) not otherwise classified (HNOC)

None known.

Section 3. Composition/Information on Ingredients			
Mixtures			
Chemical name	CAS number	%	
Calcium sulfate dihydrate	13397-24-5	>95	
(alternative CAS 10101-41-4)			
Calcium Sulfate Anhydrite	14798-04-0	<10	
Silicon Dioxide (Crystalline Silica)	14808-60-7	<0.025	
-			

**Composition comments** 

All concentrations are in percent by weight unless ingredient is a gas.

	Section 4. First-Aid Measures	
Eye contact	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if p	present and
	easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Skin contact	If on skin: Wash with plenty of water/mild soap and water. Specific treatment: see sup	
	first aid instruction on label. If skin irritation occurs: Get medical advice/attention.	Take off
	contaminated clothing and wash it before reuse.	
Inhalation	If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for	breathing.
	If experiencing respiratory symptoms: Call a doctor.	
Ingestion	Unlikely to occur, but may cause gastric disturbances if swallowed. Gypsum is non-toxic	
Most Important	Under normal conditions of intended use, this product is not expected to be a health risk.	. Dust may
symptoms/effects, acute and	irritate throat and respiratory system and cause coughing.	
delayed		
Indication of Immediate	Provide general supportive measures and treat symptomatically.	
medical attention and special		
treatment needed		
General information	Ensure that medical personnel are aware of the material(s) involved.	
	Section 5. Fire and Explosion Hazard Data	
Flash Point	Non-combustible	
Auto-Ignition	Not applicable.	
Flammable limit	Not applicable.	
Fire Extinguishing Media	Use extinguishing media appropriate for surrounding fire.	
Special Fire-fighting Procedure		
Hazardous combustion proced		
Explosion Hazards	None known.	
	Section 6. Accidental Release Measures	
Methods and materials for	Remove by dry sweeping or vacuum. Avoid creating excessive dust. It is recommended	that gloves
containment and cleaning up	and a mask be worn while cleaning the spill. If already mixed with water, scrape up ar	
containing up	container. Wear appropriate protective equipment as described in Sections 7 & 8.	la place in
Environmental precautions	Avoid discharge to drains, sewers, and other water systems.	
Environmental precautions	Troid disentinge to drains, se wers, and other water systems.	
	Section 7. Handling and Storage	
Precautions for safe handling	Avoid contact with skin and eyes. Do not breathe dust. Use only in well ventilated a	reas. Wear
	appropriate eye and respiratory protection, including a NIOSH approved dust mask,	
	generated. When using, do not eat or drink. Wash hands before eating, drinking or smokir	
Conditions for safe storage,	Keep out of reach of children. Keep the container tightly closed and dry. Store in a co	
including an incompatibilities	climate controlled area, away from incompatibles listed in Section 10.	, . ,
SDS ID: ACG 2005 Version#: 0.	3 Revision date: 01 June 2015	Page <b>2</b> of <b>5</b>



#### Section 8. Exposure Controls/Personal Protection

# Occupational exposure limits US. OSHA table Z-1 Limits for Air Contaminants (29 CFR 1910.1000

Components	Туре	Value	Form
Gypsum Anhydrite or	PEL	5 mg/m3	Respirable.
Gypsum/Anhydrite Blend			
Crystalline Silica	TWA	5 mg/m3	Respirable.
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	Form
Gypsum Anhydrite or Gypsum/Anhydrite Blend	TWA	10 mg/m3	Inhalable fraction.
Crystalline Silica	TWA	0.025 mg/m3	Respirable.
US. NIOSH: Pocket Guide to Chemical Hazards			
Components	Туре	Value	Form
Gypsum Anhydrite or Gypsum/Anhydrite Blend	TWA	5 mg/m3	Respirable
Crystalline Silica	TWA	0.05 mg/m3	Respirable
Engineering Controls	Ventilate to keep exposures below TLV requirements of the individual ingredients. General ventilation is expected to be satisfactory. Use local exhaust ventilation if necessary to control dust.		
Respiratory protection	None required where adequate ventilation conditions exist. In order to meet TLV requirements of individual ingredients and to control dusting conditions, provide general ventilation and local exhaust ventilation. Avoid creating dust. Wear a NIOSH/MSHA approved dust respirator in poorly ventilated areas and/or if TLV requirements of the individual ingredients is exceeded.		
		cal and Chemical Properties	
Appearance	White.		

Appearance	white.
Physical state	Powder/Solid.
Melting Point	Not applicable.
Freezing Point	Not applicable.
Odor	Low to no odor.
Odor threshold	Not determined.
Flash point	Non-combustible.
Flammability limits	Not applicable.
Solubility (in water) (g/100g)	0.205.
Initial boiling point	Not applicable
Boiling Range	Not applicable.
Specific gravity	2.32-2.41.
рН	6-8.
Vapor pressure	Not applicable.
Vapor density	Not applicable.
Auto-ignition temperature	None.
Evaporation rate	Not applicable.
Viscosity	Not applicable.
Upper flammability limit	Not determined.
Lower flammability limit	Not determined.
Decomposition temp	1450°C / 2642°F



	Section 10. Chemical Stability and Reactivity	
Conditions of reactivity	Not applicable.	
Chemical stability	Stable at normal storage conditions and temperature.	
Conditions to avoid Hazardous decomposition products	Not applicable. Stable at normal storage conditions and temperature.	
Hazardous decomposition products Hazardous polymerization	None known.	
<b>F</b>		
	Section 11. Toxicological Information	
Information on likely routes of exposur		
Acute effects	The acute oral toxicity study (OECD TG 420) of calcium sulfate dihydrate showed that	
Chronic effects	this chemical did not cause any changes. Crystalline silica: Exposures to respirable crystalline silica are not expected during the	
	normal use of this product; however, levels must be determined by in-house workplace	
	hygiene testing.	
	Section 12. Ecological Information	
Ecotoxicity	There are no known causes from this product that would harm the ecology. The disposal	
Leotometry	of large quantities directly into waterways would be expected to cause significant aquatic	
	life death.	
	Section 13 Disposal Considerations	
Disposal procedure	Dispose of product and packaging material in accordance with all applicable federal, state,	
	and local regulation. Can be disposed as an inert solid in a landfill. Slurry may plug drains. Do not dispose of directly in waterways or sewers. Recycle responsibly.	
Department of Transportation (DOT)	Section 14. Transport Information This product is not regulated as a hazardous material by the United States (DOT)	
Department of Transportation (DOT) Requirements	transportation regulations.	
-		
Canadian Transportation of dangerous goods	Not regulated as dangerous goods.	
uangerous goous		
UN#	None, Not regulated as dangerous goods.	
ADNR	None.	
RID/ADR:	Not classified.	
Environmental hazards	None.	
Annex II of MARPOL 73/78	Not applicable	
International bulk chemical code	Not applicable	
	Section 15 Regulatory Information	
U.S. EPA's Toxic Substance Control Act Chemical Substance Inventory	Not listed as reportable quantity or regulated quantity in SARA Title III Sections 302, 304, and 313. CAA Section 112 <sup>®</sup> Regulated Chemicals for Accidental Release Prevention, CERLA Hazardous Substances, and RCRA Hazardous Waste.	
Canadian Controlled Product Regulations	Crystalline Silica: IDL* Item #1406 Classification: D2A.	
European Union Directive	R36, R37, R38, S37, S3, S39, and S51.	
SDS ID: ACG 2005 Version#: 03	Revision date: 01 June 2015 Page 4	



\*IDL Item: Canadian Hazardous Product Act Ingredient Disclosure List \*\* WHMIS: Workplace Hazardous Safety Information System

16. Other Inform	Section16 Other Information nation, including date of preparation or last revision
Issue date	01-June 2015
Version #	03
Further informa	Health: 1 Flammability: 0 Physical hazard: 0
NFPA ratings	Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe
Disclaimer	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.