

Aluminum (Al) Nanopowder / Nanoparticles

US Research Nanomaterials, Inc.

www.us-nano.com

SAFTY DATA SHEET

Revised Date 2/6/2017

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name: Aluminum (Al) Powder

Product Number : US1048

Aluminum (Al) CAS#: 7429-90-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Research

1.3 Details of the supplier of the safety data sheet

Company: [US Research Nanomaterials, Inc.](http://www.us-nano.com)

3302 Twig Leaf Lane

Houston, TX 77084

USA

Telephone: +1 832-460-3661

Fax: +1 281-492-8628

1.4 Emergency telephone number

Emergency Phone # : (832) 359-7887

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s)

Substances/mixtures which, in contact with water, emit flammable gases.

Catches fire spontaneously if exposed to air

Precautionary statement(s)

Keep away from any possible contact with water, because of violent reaction and possible flash fire.

Do not allow contact with air, handle under inert gas. Protect from moisture.

P233: Keep container tightly closed.

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P240: Ground/Bond container and receiving equipment.
P241: Use explosion-proof-electrical/ventilating/lighting/.../equipment
P242: Use only non-sparking tools.
P243: Take precautionary measures against static discharge.
P271: Use only outdoors or in a well-ventilated area.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
P264: Wash hands thoroughly after handling.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P312 Call a POISON CENTER or doctor/ physician if you feel unwell.
P370+P378: In case of fire: Use ... for extinction.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Aluminum (Al) CAS#: 7429-90-5

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labeling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use CO₂, dry chemical, or foam for extinction.

5.2 Special hazards arising from the substance or mixture

Flammable. Risk of ignition. Dust can form an explosive mixture in air. Keep product and empty container

away from heat and sources of ignition.

5.3 Advice for firefighters

Wear self contained breathing apparatus for firefighting if necessary.

5.4 Further information

no data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Avoid release to the environment. See Section 12 for additional ecological information.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from any possible contact with water, because of violent reaction and possible flash fire. Do not allow contact with air, handle under inert gas. Protect from moisture. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Flammables area.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

ACGIH TLV: TWA: 1 mg/m³

OSHA PEL: (Vacated) TWA: 15 mg/m³, (Vacated) TWA: 5 mg/m³, TWA: 15 mg/m³, TWA: 5 mg/m³

NIOSH IDLH: TWA: 10 mg/m³, TWA: 5 mg/m³

Quebec: TWA: 10 mg/m³, TWA: 5 mg/m³

Mexico OEL (TWA): TWA: 10 mg/m³, TWA: 5 mg/m³

Ontario TWAEV: TWA: 1 mg/m³

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

8.2 Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

For any handling steps where the substance is in particulate form or in a suspension with pure water where the substance is not solubilized, the gloves must be comprised of material that successfully passes ASTM F-1671. For any handling steps where the substance is part of a carrier liquid, other than the aqueous suspension noted in the previous paragraph, gloves must be comprised of material that successfully passes ASTM F-739 (continuous liquid contact method). Gloves must be changed before they show degradation and before the designated breakthrough time for the carrier liquid (as determined by the ASTM F-739 testing or by the manufacturer). Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

The EPA mandates the use of full face respirators with minimum N100 grade cartridges if there is any risk of exposure to carbon nanotube dust. For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

- a) Appearance: solid
- b) Odor: Odorless
- c) Odor Threshold:
- d) pH: no data available
- e) Melting point/freezing point: 660 °C
- f) Initial boiling point and boiling range: 2327 °C
- g) Flash point: No information available
- h) Evaporation rate: no data available
- i) OSHA Flammability Class: no data available
- j) Upper/lower flammability or explosive limits: no data available
- k) Vapor pressure: no data available
- l) Vapor density (air = 1): no data available
- m) Relative density (water = 1): 2.7
- n) Water solubility: Insoluble in water
- o) Partition coefficient - octanol/water: no data available
- p) Auto-ignition temperature: 400 °C
- q) Decomposition temperature: no data available
- r) Viscosity: no data available
- s) Explosive properties: no data available
- t) Molecular Weight: 26.98

9.2 Other safety information

no data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

Water reactive.

10.2 Chemical stability

Moisture sensitive. Air sensitive. Pyrophoric: Spontaneously flammable in air.

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to avoid

Avoid dust formation. Incompatible products. Exposure to air. Exposure to moist air or water. Excess heat.

10.5 Incompatible materials

Water, Strong acids, Strong bases, Alcohols, Halogens, Halogenated compounds, Carbon dioxide (CO₂)

10.6 Hazardous decomposition products

Hydrogen, Fumes of aluminum or aluminum oxide

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No information available

Skin corrosion/irritation

No information available

Serious eye damage/eye irritation

No information available

Respiratory or skin sensitisation

No information available

Germ cell mutagenicity

no data available

Carcinogenicity

Not listed

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

Product may be an aspiration hazard

Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

No information available

12.2 Persistence and degradability

No information available

12.3 Bioaccumulative potential

No information available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

Do not allow product to enter surface waters, wastewater or soil.

13. DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods****Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging**14. TRANSPORT INFORMATION****US DOT Information**

Shipping Name: ALUMINUM POWDER, UNCOATED.

Hazard Class: 4.3

UN/NA #: UN1396

Packing Group: II

IMDG Information

Shipping Name: ALUMINUM POWDER, UNCOATED.

Hazard Class: 4.3

UN/NA #: UN1396

Packing Group: II

IATA Information

Shipping Name: ALUMINUM POWDER, UNCOATED.

Hazard Class: 4.3

UN/NA #: UN1396

Packing Group: II

15. REGULATORY INFORMATION**SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that

exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

H260: In contact with water releases flammable gases which may ignite spontaneously.

H261: In contact with water releases flammable gases.

HMIS Rating

Health hazard: 1

Chronic Health Hazard:

Flammability: 3

Physical Hazard 0

NFPA Rating

Health hazard: 1

Fire Hazard: 3

Reactivity Hazard: 0

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.