# **Chromium Nanoparticles (Cr)**

### **US Research Nanomaterials, Inc.**

# Material Safety Data Sheet acc. to OSHA and ANSI

_						
		1 Identification of substance:				
		Desdust datails.				
□ Product details:						
	П	Product name: Chromium powder				
	Ш	Floudet name. Chromiam powder				
	П	Stock number: US1086				
	□ Manufacturer/Supplier:					
		US Research Nanomaterials, Inc.				
		3302 Twig Leaf Lane Houston, Texas 77084				
		www.us-nano.com				
		www.us-nuno.com				
П		2 Composition/Data on components:				
		Chemical characterization:				
		December (CACH)				
		Description: (CAS#)				
		Chromium (CAS# 7440-47-3): 100%				
		Identification number(s):				
		EINECS Number: 231-157-5				
		3 Hazards identification				
		Hazard description:				
		Xn Harmful				
		F Highly flammable				
		Information pertaining to particular dangers for man and environment				
		R 11 Highly flammable.				
		R 40 Limited evidence of a carcinogenic effect.				
		Classification system				
	П	HMIS ratings (scale 0-4)				
		inito lucingo (scale o 1)				
		(Hazardous Materials Identification System)				
		Health (acute effects) = 2				
		Flammability = 2				
		-				
		Reactivity = 1				
ļ						

## First aid measures □ After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. □ After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. □ After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. □ After swallowing Seek immediate medical advice. 5 Fire fighting measures □ Suitable extinguishing agents Special powder for metal fires. Do not use water. □ For safety reasons unsuitable extinguishing agents Water □ Special hazards caused by the material, its products of combustion or resulting gases: In case of fire, the following can be released: Toxic metal oxide fume □ Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures □ Person-related safety precautions: Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources □ Measures for environmental protection: Do not allow material to be released to the environment without proper governmental permits. □ Measures for cleaning/collecting: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Keep away from ignition sources. □ Additional information: See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### 7 Handling and storage

#### □ Handling

□ Information for safe handling:

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

 $\hfill\Box$  Information about protection against explosions and fires:

Keep ignition sources away.

Protect against electrostatic charges.

#### Storage

□ Requirements to be met by storerooms and receptacles:

Store in a cool location.

 $\hfill\Box$  Information about storage in one common storage facility:

Store away from oxidizing agents.

□ Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

#### 8 Exposure controls and personal protection

□ Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:

Chromium metal	$mg/m^3$				
ACGIH TLV	0.5; Not	classifiable	as a	human	carcinogen
Belgium TWA	0.5				
Denmark TWA	0.5				
Finland TWA	0.01				
France VME	0.5				
Japan OEL	0.5				
Korea TLV	0.5				
Netherlands MAC-TGG	0.5				
Norway TWA	0.5				
Poland TWA	0.5				
Sweden NGV	0.5				

United Kingdom TWA 0.5					
USA PEL 1					
Components with limit values that	require monitoring at the workplace:				
□ Additional information: No data					
□ Personal protective equipment					
□ General protective and hygienic					
The usual precautionary measures for handling chemicals should be followed.					
	Keep away from foodstuffs, beverages and feed.				
Remove all soiled and contaminated	-				
Wash hands before breaks and at th Breathing equipment:	Wash hands before breaks and at the end of work.				
□ Protection of hands:					
Impervious gloves Check protective gloves prior to	each use for their proper condition.				
□ Material of gloves	The second of th				
<del>_</del>	not only depends on the material, but				
also on quality. Quality will vary <b>Eye protection:</b> Safety glasses	from manufacturer to manufacturer.				
Body protection: Salety glasses Body protection: Protective work clothing.					
□ <b>Body protection:</b> Protective wor	k clothing.				
9 Physical and chemical proper					
9 Physical and chemical proper					
9 Physical and chemical proper					
9 Physical and chemical proper  General Information					
9 Physical and chemical proper  General Information Form: Powder	ties:				
9 Physical and chemical proper  General Information  Form: Powder Color: grey/black					
9 Physical and chemical proper  General Information  Form: Powder  Color: grey/black Odor: Odorless  Change in condition Melting point/Melting range:	<pre>ties:  Value/Range Unit Method  1875 ° C</pre>				
9 Physical and chemical proper  General Information  Form: Powder  Color: grey/black Odor: Odorless  Change in condition	ties:  Value/Range Unit Method				
9 Physical and chemical proper  General Information  Form: Powder  Color: grey/black Odor: Odorless  Change in condition Melting point/Melting range:	Value/Range Unit Method  1875 ° C 2482 ° C				
9 Physical and chemical proper  General Information  Form: Powder  Color: grey/black Odor: Odorless  Change in condition Melting point/Melting range: Boiling point/Boiling range:	Value/Range Unit Method  1875 ° C 2482 ° C				
9 Physical and chemical proper  General Information  Form: Powder  Color: grey/black Odor: Odorless  Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Value/Range Unit Method  1875 ° C 2482 ° C  Not determined  Not applicable				
9 Physical and chemical proper  General Information  Form: Powder  Color: grey/black Odor: Odorless  Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flash point:	Value/Range Unit Method  1875 ° C 2482 ° C  Not determined  Not applicable				
9 Physical and chemical proper  General Information  Form: Powder  Color: grey/black Odor: Odorless  Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flash point:  Flammability (solid, gaseous)	Value/Range Unit Method  1875 ° C 2482 ° C  Not determined  Not applicable  Highly flammable.				

	Lower:	Not determined
	Upper:	Not determined
	Vapor pressure:	Not determined
	Density: at 20 ° C	7.19 g/cm <sup>3</sup>
	Solubility in / Miscibility with	
	Water:	Insoluble
1	10 Stability and reactivity	
	Thermal decomposition / condition	ons to be avoided:
	Decomposition will not occur if use	
	specifications.	ou and beered deceraing to
	Dangerous reactions No dangerous	
	Dangerous products of decomposit	cion: Toxic metal oxide fume
-	11 marianlarian information	
1	11 Toxicological information	
	Acute toxicity:	
	Primary irritant effect:	
	on the skin: Irritant to skin	and mucous membranes.
	on the eye: Irritating effect.	
	Sensitization: No sensitizing ef	
	Other information (about experim	
	<del>-</del>	ed on tests with laboratory animals.
	Subacute to chronic toxicity: Subacute to chronic toxicity:	
	<del>-</del>	hemical Substances (RTECS) reports the
	following effects in laboratory ani	
	Gastrointestinal - tumors.	
	Blood - lymphoma, including Hodgkin	n's disease.
	Musculoskeletal - tumors.	
	Tumorigenic - tumors at site o	
П	<pre>Tumorigenic - equivocal tumorige Subacute to chronic toxicity:</pre>	enic agent by RTECS criteria.
ш	Chromium powder, chromium (II) and	chromium (III) compounds may cause
	<del>-</del>	d eye irritation and pneumoconiosis.
	Although less likely than Cr(VI) co	<del>-</del>
	chromium to be potentially carcinog	
	To the best of our knowledge the	acute and chronic toxicity of this

substance is not fully known. IARC-3: Not classifiable as to carcinogenicity to humans. ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals. 12 Ecological information: ☐ General notes: Do not allow material to be released to the environment without proper governmental permits. 13 Disposal considerations □ Product: □ Recommendation Consult state, local or national regulations to ensure proper disposal. □ Uncleaned packagings: □ Recommendation: Disposal must be made according to official regulations. Transport information □ DOT regulations: 4.1 Identification number: UN3089 Packing group: III Hazardous substance: 5000 lbs, 2270 kg □ Proper shipping name (technical name): METAL POWDER, FLAMMABLE, N.O.S. (Chromium powder) Label 4.1 □ Land transport ADR/RID (cross-border) ☐ ADR/RID class: 4.1 (F3) Flammable solids □ Danger code (Kemler): 40 □ UN-Number: 3089 Packaging group: III Description of goods: 3089 METAL POWDER, FLAMMABLE, N.O.S. (Chromium powder)

☐ Maritime transport IMDG:				
☐ IMDG Class:	4.1			
UN Number:	3089			
□ Label	4.1			
<pre>Packaging group:</pre>	III			
<pre>Proper shipping name:</pre>	METAL POWDER,	FLAMMABLE,	N.O.S.	(Chromium
	powder)			
□ Air transport ICAO-TI	and IATA-DGR:			
☐ ICAO/IATA Class:	4.1			
UN/ID Number:	3089			
□ Label	4.1			
<pre>Packaging group:</pre>	III			
$_{\square}$ Proper shipping name:	METAL POWDER,	FLAMMABLE,	N.O.S.	(Chromium
	powder)			
7 15 5 1 1 1				

#### 15 Regulations

- □ Product related hazard informations:
- ☐ Hazard symbols:

Xn Harmful F Highly flammable

- □ Risk phrases:
  - 11 Highly flammable.
  - 40 Limited evidence of a carcinogenic effect.
- □ Safety phrases:
  - 7 Keep container tightly closed.
  - 33 Take precautionary measures against static discharges.
  - 36/37 Wear suitable protective clothing and gloves.
  - 60 This material and its container must be disposed of as hazardous waste.
- $\ \square$  National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

□ Information about limitation of use:

For use only by technically qualified individuals. This product contains chromium and is subject to the reporting

requirements of section 313 of the Emergency Planning and Community

Right to Know Act of 1986 and 40CFR372.

#### 16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.