Iron Nanoparticles (Fe)

US Research Nanomaterials, Inc.

Material Safety Data Sheet acc. to OSHA and ANSI

		1 Identification of substance:							
		Product details:							
		Product details:							
		Product name: <u>Iron powder</u>							
		Stock number: US1105							
		Manufacturer/Supplier:							
		US Research Nanomaterials, Inc. 3302 Twig Leaf Lane Houston, Texas 77084, USA www.us-nano.com							
		2 Composition/Data on components:							
		Chemical characterization:							
		Description: (CAS#)							
		Iron (CAS# 7439-89-6), 100%							
		Identification number(s):							
		EINECS Number: 231-096-4							
	3 Hazards identification								
		·							
П		Hazard description:							
		Xi Irritant							
		F Highly flammable							
		Information pertaining to particular dangers for man and environment							
		R 11 Highly flammable.							
		R 36/37 Irritating to eyes and respiratory system.							
		2000							
		HMIS ratings (scale 0-4)							
		(Hazardous Materials Identification System)							
		Health (acute effects) =							
		1 Flammability = 3							

	Reactivity = 2
	4 First aid measures
	After inhalation
	Supply fresh air. If required, provide artificial respiration. Keep patient warm.
	Seek immediate medical advice. After skin contact
	Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.
	After eye contact
	Rinse opened eye for several minutes under running water. Then consult a doctor.
П	After swallowing Seek immediate medical advice.
П	Information for doctor
	The following symptoms may occur:
	Nausea
	Cramp
	Gastric or intestinal disorders.
	5 Fire fighting measures
	Suitable extinguishing agents Extinguishing powder. Do not use water.
	For safety reasons unsuitable extinguishing agents
	Water
	Carbon dioxide
	Halogenated extinguisher
	Wear self-contained respirator.
	Wear fully protective impervious suit.
	6 Accidental release measures
П	Person-related safety precautions:
	Wear protective equipment. Keep unprotected persons
	away. Ensure adequate ventilation
	Keep away from ignition sources
	Measures for environmental protection: Do not allow material to be released to the environment without
	proper governmental permits.
	Measures for cleaning/collecting:

Ensure adequate ventilation. Keep away from ignition sources. □ Additional information: See Section 7 for information on safe handling See Section 8 for information personal on protection equipment. See Section 13 for disposal information. 7 Handling and storage □ Handling □ Information for safe handling: Handle under dry argon. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Keep ignition sources away. Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture. Storage Requirements to be met by storerooms and receptacles: in a cool location. Store Information about storage in one common storage facility: not store together with oxidizing and acidic materials. Store away from halogens. Store away from air. Store away from water/moisture. □ Further information about storage conditions: Store under dry inert gas. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Exposure controls and personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Components with limit values that require monitoring at the workplace: Not required. □ Additional information: No data Personal protective equipment

The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Eye protection: Safety glasses Body protection: Protective work clothing. 9 Physical and chemical properties: General Information Form: Powder Color: Black Odor: Odorless Change in condition Melting point/Melting range: Boiling point/Melting range: Boiling point/Moliling range: Sublimation temperature / start: Not determined Flash point: Not applicable Flammability (solid, gaseous) Highly flammable. Ignition temperature: Not determined Decomposition temperature: Not determined Upper: Not determined Vapor pressure: at 1787 ° C 1.33 hPa Density: at 20 ° C 7.87 g/cm³ Solubility in / Miscibility with		General protective and hygienic measures
Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Eye protection: Safety glasses Body protection: Protective work clothing. 9 Physical and chemical properties: General Information Form: Powder Color: Black Odor: Odorless Change in condition Melting point/Melting range: 1536 ° C Boiling point/Boiling range: 3000 ° C Sublimation temperature / start:Not determined Flash point: Not applicable Flammability (solid, gaseous) Highly flammable. Ignition temperature: Not determined Decomposition temperature: Not determined Explosion limits: Lower: Not determined Upper: Not determined Vapor pressure: at 1787 ° C 1.33 hPa Density: at 20 ° C 7.87 g/cm²		The usual precautionary measures for handling chemicals should
Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Eye protection: Safety glasses Body protection: Protective work clothing. 9 Physical and chemical properties: General Information Form: Powder Color: Black Odor: Odorless Change in condition Melting point/Melting range: Boiling point/Boiling range: Boiling point/Boiling range: Sublimation temperature / start: Not determined Flash point: Not applicable Flammability (solid, gaseous) Highly flammable. Ignition temperature: Not determined Explosion limits: Lower: Not determined Vapor pressure: at 1787 ° C 1.33 hPa Density: at 20 ° C 7.87 g/cm ³		
Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Eye protection: Safety glasses Body protection: Protective work clothing. 9 Physical and chemical properties: General Information Form: Powder Color: Black Odor: Odorless Change in condition Melting point/Melting range: Boiling point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Not determined Flash point: Not applicable Flammability (solid, gaseous) Highly flammable. Ignition temperature: Not determined Decomposition temperature: Not determined Decomposition temperature: Not determined Vapor pressure: at 1787 ° C 1.33 hPa Density: at 20 ° C 7.87 g/cm ³		
Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Eye protection: Safety glasses Body protection: Protective work clothing. 9 Physical and chemical properties: General Information Form: Powder Color: Black Odor: Odorless Change in condition Melting point/Melting range: 1536 ° C Boiling point/Boiling range: 3000 ° C Sublimation temperature / start: Not determined Flash point: Not applicable Flammability (solid, gaseous) Highly flammable. Ignition temperature: Not determined Decomposition temperature: Not determined Explosion limits: Lower: Not determined Upper: Not determined Vapor pressure: at 1787 ° C 1.33 hPa Density: at 20 ° C 7.87 g/cm³		
Avoid contact with the eyes and skin. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Eye protection: Safety glasses Body protection: Protective work clothing. 9 Physical and chemical properties: General Information Form: Fowder Color: Black Odor: Odorless Change in condition Melting point/Melting range: 1536 ° C Boiling point/Boiling range: 3000 ° C Sublimation temperature / start: Not determined Flash point: Not applicable Flammability (solid, gaseous) Highly flammable. Ignition temperature: Not determined Explosion limits: Lower: Not determined Upper: Not determined Vapor pressure: at 1787 ° C 1.33 hPa Density: at 20 ° C 7.87 g/cm³		
Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Eye protection: Safety glasses Body protection: Protective work clothing. 9		<u>=</u>
Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Eye protection: Safety glasses Body protection: Protective work clothing. 9 Physical and chemical properties: General Information Form: Powder Color: Black Odor: Odorless Change in condition Melting point/Melting range: 1536 ° C Boiling point/Melting range: 3000 ° C Sublimation temperature / start: Not determined Flash point: Not applicable Flammability (solid, gaseous) Highly flammable. Ignition temperature: Not determined Decomposition temperature: Not determined Explosion limits: Not determined Upper: Not determined Vapor pressure: at 1787 ° C 1.33 hPa Density: at 20 ° C 7.87 g/cm³		
Eye protection: Safety glasses Body protection: Protective work clothing.		
Body protection: Protective work clothing.		Protection of hands: Impervious gloves
9 Physical and chemical properties: General Information		
General Information Form: Powder Color: Black Odor: Odorless Change in condition Melting point/Melting range: 1536 ° C Boiling point/Boiling range: 3000 ° C Sublimation temperature / start: Not determined Flash point: Not applicable Flammability (solid, gaseous) Highly flammable. Ignition temperature: Not determined Decomposition temperature: Not determined Explosion limits: Lower: Not determined Upper: Not determined Vapor pressure: at 1787 ° C 1.33 hPa Density: at 20 ° C 7.87 g/cm³		Body protection: Protective work clothing.
General Information Form: Powder Color: Black Odor: Odorless Change in condition Melting point/Melting range: 1536 ° C Boiling point/Boiling range: 3000 ° C Sublimation temperature / start: Not determined Flash point: Not applicable Flammability (solid, gaseous) Highly flammable. Ignition temperature: Not determined Explosion limits: Lower: Not determined Vapor pressure: at 1787 ° C 1.33 hPa Density: at 20 ° C 7.87 g/cm³		
Form: Powder Color: Black Odor: Odorless Value/Range Unit Method		9 Physical and chemical properties:
Form: Powder Color: Black Odor: Odorless Value/Range Unit Method		
Form: Powder Color: Black Odor: Odorless Value/Range Unit Method	П	General Information
Color: Black Odor: Odorless Change in condition Melting point/Melting range: 1536 ° C Boiling point/Boiling range: 3000 ° C Sublimation temperature / start: Not determined Flash point: Not applicable Flammability (solid, gaseous) Highly flammable. Ignition temperature: Not determined Decomposition temperature: Not determined Explosion limits: Not determined Upper: Not determined Vapor pressure: at 1787 ° C 1.33 hPa Density: at 20 ° C 7.87 g/cm³		
Odor: Odorless Change in condition Melting point/Melting range: 1536 ° C Boiling point/Boiling range: 3000 ° C Sublimation temperature / start: Not determined Flash point: Not applicable Flammability (solid, gaseous) Highly flammable. Ignition temperature: Not determined Decomposition temperature: Not determined Explosion limits: Not determined Upper: Not determined Vapor pressure: at 1787 ° C 1.33 hPa Density: at 20 ° C 7.87 g/cm³		Form: Powder
Change in condition Melting point/Melting range: 1536 ° C Boiling point/Boiling range: 3000 ° C Sublimation temperature / start: Not determined Flash point: Not applicable Flammability (solid, gaseous) Highly flammable. Ignition temperature: Not determined Explosion limits: Not determined Explosion limits: Not determined Upper: Not determined Vapor pressure: at 1787 ° C 1.33 hPa Density: at 20 ° C 7.87 g/cm³		
Change in condition Melting point/Melting range: 1536 ° C Boiling point/Boiling range: 3000 ° C Sublimation temperature / start: Not determined Flash point: Not applicable Flammability (solid, gaseous) Highly flammable. Ignition temperature: Not determined Decomposition temperature: Not determined Explosion limits: Lower: Not determined Upper: Not determined Vapor pressure: at 1787 ° C 1.33 hPa Density: at 20 ° C 7.87 g/cm³		
<pre>Melting point/Melting range:</pre>		
Boiling point/Boiling range: 3000 ° C Sublimation temperature / start: Not determined Flash point: Not applicable Flammability (solid, gaseous) Highly flammable. Ignition temperature: Not determined Decomposition temperature: Not determined Explosion limits: Lower: Not determined Upper: Not determined Vapor pressure: at 1787 ° C 1.33 hPa Density: at 20 ° C 7.87 g/cm³		-
Sublimation temperature / start: Not determined Flash point:		
Flash point: Not applicable Flammability (solid, gaseous) Highly flammable. Ignition temperature: Not determined Decomposition temperature: Not determined Explosion limits: Not determined Upper: Not determined Upper: Not determined Vapor pressure: at 1787 ° C 1.33 hPa Density: at 20 ° C 7.87 g/cm³	Ш	
Flammability (solid, gaseous) Highly flammable. Ignition temperature: Not determined Decomposition temperature: Not determined Explosion limits: Lower: Not determined Upper: Not determined Vapor pressure: at 1787 ° C 1.33 hPa Density: at 20 ° C 7.87 g/cm³		Sublimation temperature / start: Not determined
<pre>Ignition temperature:</pre>		Flash point: Not applicable
<pre>Ignition temperature:</pre>		
<pre>Decomposition temperature:</pre>		Flammability (solid, gaseous) Highly flammable.
Explosion limits: Lower: Not determined Vapor pressure: at 1787 ° C 1.33 hPa Density: at 20 ° C 7.87 g/cm³		Ignition temperature: Not determined
Explosion limits: Lower: Not determined Vapor pressure: at 1787 ° C 1.33 hPa Density: at 20 ° C 7.87 g/cm³		
Lower: Upper: Not determined Not determined Not determined 1.33 hPa Density: at 20 ° C 7.87 g/cm³		•
<pre>Upper: Not determined Vapor pressure: at 1787 ° C 1.33 hPa Density: at 20 ° C 7.87 g/cm³</pre>		•
□ Vapor pressure: at 1787 ° C 1.33 hPa □ Density: at 20 ° C 7.87 g/cm³		Lower: Not determined
□ Density: at 20 ° C 7.87 g/cm³		Upper: Not determined
□ Density: at 20 ° C 7.87 g/cm³		
_		Vapor pressure: at 1787 ° C 1.33 hPa
_		Donaiture 20 ° C 7 97 ~/~m ³
□ Solubility in / Miscibility with	Ц	density. at 20 C /.8/ g/Cm
		Solubility in / Miscibility with

	Water: Insoluble
	10 Stability and reactivity
	Thermal decomposition / conditions to be avoided:
	Decomposition will not occur if used and stored according
	to specifications.
	Acids
	Water/moisture
	Oxidizing agents Air
	Halogens
	Dangerous reactions Reacts with strong oxidizing agents
_	Dangerous products of decomposition: Metal oxide fume
	11 Toxicological information
	Acute toxicity:
	LD/LC50 values that are relevant
	for classification:
	Oral: LD50: 20000 mg/kg (gpg)
	LD50: 30000 mg/kg (rat) LDLo:
	20 mg/kg (rbt)
	Primary irritant effect: on the skin: Irritant to skin and mucous membranes.
П	
	Tumorigenic effects have been observed on tests with
	laboratory animals.
	Subacute to chronic toxicity:
	Iron compounds may cause vomiting, diarrhea, pink urine, black stool,
	and liver damage. May cause damage to the kidneys. Irritating to the
	respiratory tract, they may cause pulmonary fibrosis if dusts are
	inhaled.
	Additional toxicological information:
	To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.
	The Registry of Toxic Effects of Chemical Substances (RTECS) contains
	tumorigenic and/or carcinogenic and/or neoplastic data for components
	in this product.
	No classification data on carcinogenic properties of this material is

	av	ailable	from	the I	EPA, I	ARC,	NTP,	OSHA	or	ACGIH	•	
1	L2	Ecologi	ical i	nformat	ion:							
	Ge	neral :	notes:									
	Do	not a	llow r	material	l to i	be r	eleased	l to	the	enviro	nment	without
							0_0000	. 00	3110	0111 = 0		
	Pr.	oper go	verimei	icai pei								
1	L3	Disposa	al cor	siderat	ions							
	Pr	oduct:										
	Re	commenda	ation									
	Co	nsult	state,	local	or r	natio	nal re	gulati	ions	to e	nsure	
	pr	oper di	sposal									
	Un	cleaned	packa	agings:								
		commend		_						_		
	Dı	sposal	must	be mad	de acc	cordi	ng to	offic	cıal	regula	ations	•
	L 4	Transpo	ort in	formati	.on							
П	יסת	regui	lations	· ·								
		zard c		•	4.1							
	Ide	entifica	ation	number:	-							
	Pa	cking (group:		III	- -						
	Pr	oper s	hippin	g name	(tech	nica	L name	·):				
					Met	al p	owders,	flamm	nable,	n.o.s	s., ir	on
	_	wder										
		nd tran	_	ADR/RII				7 3	1			
		R/RID (em:	CIASS:		4.1 13c		ammable	SOLI	Las			
		nger c	ode (F	(mler):								
П		-Number		·	308	39						
	De	scripti	on of	goods:			ders,	flamma	able,	n.o.s	s., ir	on
	po	wder										
	Ma	ritime	trans	ort I	ÆDG:							
		DG Cla			4.1							
		Numbe			308							
		ckaging			III	-						
	Pr	oper si	hipping	name:	: Met	al p	powders	, fla	ammak	le, n	.o.s.,	iron

	powder
	Air transport ICAO-TI and IATA-DGR:
	ICAO/IATA Class: 4.1
	UN/ID Number: 3089
	Packaging group: III
	Proper shipping name: Metal powders, flammable, n.o.s., iron
	powder
1	15 Regulations

□ Product related hazard informations:

☐ Hazard symbols:

Xi Irritant F Highly flammable

☐ Risk phrases:

11 Highly flammable.

36/37 Irritating to eyes and respiratory system.

□ Safety phrases:

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

□ Information about limitation of use:

For use only by technically qualified individuals.

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.