

Cataplex® F tablets

Essential Fatty Acids Plus Iodine for Thyroid Support

Cataplex F contains flaxseed oil and calcium lactate to support the immune system at a cellular level. Flaxseed oil is the primary health-giving constituent of the flax plant, *Linum usitatissimum*, which has been cultivated since at least 5000 B.C. The health-giving properties of flax were known to the Greeks, and Hippocrates recommended it for the inflammation of mucous membranes.

The omega-3 fatty acids in flaxseed oil are necessary for healthy cell membranes and to transport calcium lactate into white blood cells, where it is used to support cell motility and phagocytosis. Flaxseed oil provides a whole food source of omega-3 fatty acids. The tablet form of Cataplex F also contains iodine for thyroid support.†

How Cataplex F Keeps You Healthy

Supports immune system functions

Essential fatty acids are important for the proper functioning of the immune system, and some studies indicate that flaxseed oil helps maintain normal immune system function.†

Maintains cellular health

Flaxseed oil contains alpha linolenic acid, which is converted by the body into EPA and DHA. EPA and DHA are necessary for the healthy functioning of cell membranes and maintenance of hair, nails, eye receptor cells, nerves, and brain tissue.†

Maintains a healthy flow of blood through the circulatory system

The alpha linolenic acid in flaxseed oil helps maintain the free flow of blood through the circulatory system, both by affecting a specific clotting-system factor called plasma factor VII and also by affecting the actual clumping of the body's clotting cells, called platelets.†



Introduced in 1934

Content:

90 tablets
360 tablets

Suggested Use: One tablet per meal, or as directed.

Supplement Facts:

Serving Size: 1 tablet
Servings per Container: 90 or 360

	Amount per Serving	%DV
Calories	1	
Vitamin B ₆	0.8 mg	40%
Iodine	95 mcg	60%

Proprietary Blend: 275 mg

Calcium lactate, defatted wheat (germ), carrot (root), bovine prostate, bovine liver, magnesium citrate, oat flour, bovine orchic extract, bovine liver fat extract, flaxseed-oil extract, para-aminobenzoate, mixed tocopherols (soy), ascorbic acid, and soybean lecithin.

Other Ingredients: Honey, glycerin, arabic gum, calcium stearate, prolamine iodine (zein), and pyridoxine hydrochloride.

*Each tablet supplies approximately:
2.4 mg bovine liver-fat extract with naturally occurring unsaturated fatty acids.*

Sold through health care professionals.

Please copy for your patients.

†These statements have not been evaluated by the Food & Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.



800-558-8740 | standardprocess.com

Cataplex[®] F tablets

What Makes Cataplex F Unique

Product Attributes

Contains flaxseed oil

- › A source of omega-3 essential fatty acids

Contains iodine

- › For thyroid support[†]

Cold pressed

Low-temperature extraction maintains the nutritional quality of fresh flaxseed oil

Multiple nutrients from a variety of plant and animal sources

- › Extracts from bovine tissues provide nutrients and support to the corresponding tissues in humans
- › Vitamins, minerals, and nutrients from plants and animal tissues work synergistically for maximum effect[†]

Manufacturing and Quality-Control Processes

Low-temperature, high-vacuum drying technique

- › Preserves the enzymatic vitality and nutritional potential of ingredients

Not disassociated into isolated components

- › The nutrients in Cataplex F are processed to remain intact, complete nutritional compounds

Degreed microbiologists and chemists in our on-site laboratories continually conduct bacterial and analytical tests on raw materials, product batches, and finished products

- › Ensures consistent quality and safety

Vitamin and mineral analyses validate product content and specifications

- › Assures high-quality essential nutrients are delivered

Whole Food Philosophy

Our founder, Dr. Royal Lee, challenged common scientific beliefs by choosing a holistic approach of providing nutrients through whole foods. His goal was to provide nutrients as they are found in nature—in a whole food state where he believed their natural potency and efficacy would be realized. Dr. Lee believed that when nutrients remain intact and are not split from their natural associated synergists—known and unknown—bioactivity is markedly enhanced over isolated nutrients. Following this philosophy, even a small amount of a whole food concentrate will offer enhanced nutritional support, compared to an isolated or fractionated vitamin. Therefore, one should examine the source of nutrients rather than looking at the quantities of individual nutrients on product labels.

Studies on nutrients generally use large doses and these studies, some of which are cited below, are the basis for much of the information we provide you in this publication about whole food ingredients. See the supplement facts for Cataplex[®] F.

Allman M.A. 1995. Supplementaion with flaxseed oil versus sunflower seed oil in healthy young men consuming a low fat diet: effects on platelet composition and function. *Eur J Clin Nutr* 49(3): 169-178.

Ascherio A., Rimon E.B., et al. 1996. Dietary fat and the risk of coronary heart disease in men: cohort follow up study in the United States. *BMJ* 313(7049): 84-90.

Caughey G.E., et al. 1996. The effect on human tumor necrosis factor alpha and interleukin 1-beta production of diets enriched in N-3 fatty acids from vegetable oil or fish oil. *Am J Clin Nutr* 63(1): 116-122.

Chan J.K., et al. 1991. Dietary alpha-linolenic acid is as effective as oleic acid and linoleic acid in lowering blood cholesterol in normolipidemic men. *Am J Clin Nutr* 53(5): 1230-1234.

Cigolini M., et al. 1996. Plasma factor VII and its relation to adipose tissue fatty acids and other atherogenic risk factors in healthy men. *Eur J Clin Invest* 26(3): 247-253.

Cunnane S.C., et al. 1995. Nutritional attributes of traditional flaxseed in healthy young adults. *Am J Clin Nutr* 61(1): 62-68.

Fukui H., et al. 1996. O-w-emulsion of alpha-linolenic acid stabilized with hydrophobized polysaccharide: its effect on the growth of human colon cancer cells. *J Biomater Sci Polym Ed* 7(10): 829-830.

Harris W.S. 1997. Fatty acids and serum lipoproteins: human studies. *Am J Clin Nutr* 65(5 Suppl): 1645S-1654S.

Hartman I.S. 1995. Alpha-linolenic acid: a preventative in secondary coronary events. *Nutr Rev* 53(7): 194-197.

Harvei S., et al. 1997. Prediagnostic level of fatty acids in serum phospholipids: omega-3 and omega-6 fatty acids and the risk of prostate cancer. *Int J Cancer* 71(4): 545-551.

Kelley D.S., et al. 1991. Dietary alpha-linolenic acid and immunocompetence in humans. *Am J Clin Nutr* 53(1): 40-46.

Mutanen M., Freese R. 1996. Polyunsaturated fatty acids and platelet aggregation. *Curr Opin Lipidol* 7(1): 14-19.

Schmitt W.H. 1990. Compiled Notes on Clinical Nutrition Products. 57

Siguel E. 1996. A new relationship between total high density lipoprotein cholesterol and polyunsaturated fatty acids. *Lipids* 31(Suppl): S51-S56.

Simon J.A. 1995. Serum fatty acids and the risk of stroke. *Stroke* 26(5): 778-782.

